

FLORIDA

CONTACT THE STAFF

COORDINATOR:

Deborah M. Kahn, BHS, RN
Email: Deborah.Kahn@flhealth.gov
Office: 561-496-4360
Cell: 850-445-5908
Fax: 850-412-5810

Email: charles_alexander@doh.state.fl.us

ADDRESS:

Division of Disease Control and Health
Protection
Florida Department of Health
4025 Esplanade Way
Tallahassee, FL

PROGRAM MANAGER:

Chuck Alexander

SCREENING REQUIREMENTS

Does the jurisdiction require screening of pregnant women for hepatitis B infection or hepatitis B surface antigen (HBsAg)?

Yes – 64D-3.042(1), F.A.C. and 64B-7.007(1)(a), F.A.C.

Does the jurisdiction specifically require reporting of positive HBsAg status in pregnant women?

Yes – 64D-3.029, F.A.C.

COMPLETION OF HEPATITIS B VACCINATION SERIES


3 or more doses among children 19-35 months of age

	Percentage of children 19-35 months of age receiving 3 or more doses	Rank among other states	U.S. National Average	#1 ranked state and coverage
1995	64.4 ± 5.9%	31	67.9 ± 1.3%	88.5 ± 5.4% (South Carolina)
1996	85.4 ± 3.9%	15	81.8 ± 0.9%	95.8 ± 2.2% (South Carolina)
1997	85.3 ± 3.8%	24	83.6 ± 0.8%	91.6 ± 4.2% (New Jersey)
1998	90.0 ± 3.2%	9	87.0 ± 0.7%	94.1 ± 2.7% (South Carolina)
1999	92.9 ± 2.5%	6	88.1 ± 0.7%	94.0 ± 3.1% (Rhode Island)
2000	92.5 ± 2.7%	13	90.3 ± 0.6%	96.4 ± 1.9% (Rhode Island)
2001	88.7 ± 3.4%	29	88.9 ± 0.7%	95.8 ± 2.2% (Rhode Island)
2002	89.9 ± 3.5%	33	89.9 ± 0.7%	97.0 ± 2.0% (Rhode Island)
2003	95.2 ± 2.1%	9	92.4 ± 0.6%	98.2 ± 1.4% (Connecticut)
2004	96.8 ± 1.7%	1	92.4 ± 0.6%	96.8 ± 1.7% (Florida)
2005	91.3 ± 4.4%	34	92.9 ± 0.6%	97.9 ± 2.0% (Massachusetts)
2006	91.0 ± 3.5%	40	93.3 ± 0.6%	97.8 ± 1.6% (Rhode Island)
2007	94.9 ± 3.3%	15	92.7 ± 0.7%	98.6 ± 1.5% (New Hampshire)
2008	94.8 ± 2.5%	14	93.5 ± 0.7%	98.1 ± 1.6% (Connecticut)
2009	93.5 ± 3.5%	23	92.4 ± 0.7%	98.8 ± 1.5% (Rhode Island)
2010	96.1 ± 2.5%	5	91.8 ± 1.5%	98.3 ± 1.5% (North Dakota)
2011	94.5 ± 2.8%	6	91.1 ± 0.7%	97.1 ± 1.7% (Louisiana)
2012	94.4 ± 3.6%	4	89.7 ± 0.9%	96.3 ± 3.0% (Georgia)
2013	89.0 ± 5.3%	37	90.8 ± 1.0%	96.7 ± 2.3% (Rhode Island)
2014	94.9 ± 3.7%	9	91.6 ± 0.9%	97.6 ± 1.8% (Louisiana)
2015	90.4 ± 3.7%	44	92.6 ± 0.7%	97.3 ± 2.3% (Connecticut)
2016	89.1 ± 5.3%	41	90.5 ± 1.1%	97.4 ± 1.9% (Iowa)
2017	90.3 ± 5.1%	36	91.4 ± 0.9%	97.7 ± 1.6% (North Dakota)

Data compiled by the ALC from National Immunization Surveys, 1995-2017¹,
<https://www.cdc.gov/vaccines/imz-managers/coverage/childvaxview/data-reports/hepb/index.html>

GRAPH:

Percentage of Children 19-35 Months of Age Receiving 3 or More Doses of Hepatitis B Vaccine



Data compiled by the ALC from National Immunization Surveys, 1995-2017¹, <https://www.cdc.gov/vaccines/imz-managers/coverage/childvaxview/data-reports/hepb/index.html>

HEPATITIS B BIRTH DOSE VACCINATION COVERAGE

1 or more dose among infants within 3 days of birth

	Percentage of infants receiving			Rank among other states according to		
	1 dose within 1 day of birth*	1 dose within 2 days of birth	1 dose within 3 days of birth*	1 dose within 1 day of birth	1 dose within 2 days of birth	1 dose within 3 days of birth
2003		14.5 ± 3.7%		N/A	49	N/A
2004		18.4 ± 4.2%		N/A	49	N/A
2005		23.5 ± 5.8%		N/A	49	N/A
2006	18.2 ± 4.0%	21.4 ± 4.3%	24.1 ± 4.6%	48	48	47
2007	19.9 ± 5.5%	26.5 ± 6.4%	29.2 ± 6.7%	47	47	47
2008	32.3 ± 6.6%	39.3 ± 6.7%	40.7 ± 6.7%	42	42	43
2009	38.3 ± 6.6%	46.3 ± 6.8%	47.8 ± 6.8%	44	45	44
2010	40.9 ± 7.8%	50.3 ± 7.9%	52.3 ± 7.9%	48	47	46
2011	41.6 ± 6.7%	51.6 ± 6.9%	52.7 ± 6.9%	48	49	49
2012	47.1 ± 7.8%	60.8 ± 7.6%	62.6 ± 7.6%	48	46	46
2013	44.5 ± 8.2%	53.9 ± 8.3%	58.0 ± 8.3%	46	48	48
2014	47.7 ± 9.2%	51.2 ± 9.2%	53.2 ± 9.2%	47	49	49
2015	49.1 ± 9.2%	56.4 ± 7.6%	56.9 ± 7.6%	47	49	49
2016	46.8 ± 8.5%	56.5 ± 8.5%	59.0 ± 8.5%	49	50	50
2017	54.2 ± 8.2%	63.8 ± 7.7%	66.0 ± 7.5%	46	45	46

*No data available 2003-2005

2017 U.S. NATIONAL AVERAGE

Day 1: 65.7 ± 1.6%
Day 2: 72.0 ± 1.6%
Day 3: 73.6 ± 1.6%


2017 HIGHEST BIRTH DOSE COVERAGE

Day 1: 82.0 ± 5.7% (Kentucky)
Day 2: 84.1 ± 5.6% (Kentucky)
Day 3: 84.1 ± 5.6% (Kentucky)

Data compiled by the ALC from National Immunization Surveys, 1995-2017¹,
<https://www.cdc.gov/vaccines/imz-managers/coverage/childvaxview/data-reports/hepb/index.html>

GRAPH:


Estimated Vaccination Coverage for Hepatitis B Vaccine among Children from Birth to 3 Days of Age in Florida



Data compiled by the ALC from National Immunization Surveys, 1995-2017¹,
<https://www.cdc.gov/vaccines/imz-managers/coverage/childvaxview/data-reports/hepb/index.html>

GRAPH:

Percentage of Infants Receiving 1 Dose of Hepatitis B Vaccine within 2 Days of Birth



Data compiled by the ALC from National Immunization Surveys, 1995-2017¹,
<https://www.cdc.gov/vaccines/imz-managers/coverage/childvaxview/data-reports/hepb/index.html>

¹ The data from the National Immunization Surveys constitute a composite of data from children who were 19-35 months of age at the time of the survey. Therefore, the data might reflect a different estimate from the states' own birth cohort data.